TIMMINS CHECKLIST OF BIRDS

This checklist includes the 256 species of birds that have been recorded within the Timmins city limit, listed in taxonomic order following the American Ornithologists' Society (AOS) classification.

Abundance and Seasonal Occurrence Codes

These codes are based on reported sightings and variations can occur for some species from year to year. Please contact timminsbirds@gmail.com if you observe a bird with the Very Rare (VR) or OBRC.

ABUNDANCE: Frequency of observation in the Timmins area.

A—Abundant: Can be found easily almost daily in the right season.

C—Common: Can be observed regularly when visiting suitable habitat in the right season.

U—Uncommon: Can be observed each year during the right season, with sufficient effort in suitable habitat. In some cases, can be difficult to find due to their secretive nature.

R—Rare: Observed rarely, roughly every 1 to 3 years, with effort in appropriate habitat and season.

VR—Very Rare: Not to be expected in our area but have been documented on rare occasion(s). **I—Irregular/Irruptive**: Numbers can vary each year depending on factors like cycles in natural food availability.

OBRC: Species on the Ontario Bird Records Committee's Central Review List. Please send details to OBRC when this species is observed in the area. (See Ontario Field Ornithologists website for OBRC Submission Form)

SEASONAL OCCURRENCE: During which season am I most likely to see this species?

M—Migration: Observed during spring and fall migration, does not breed in our area. (e.g., Tundra Swan, Dunlin, Rough-legged Hawk, Fox Sparrow)

B—Breeding: Breeding range includes our area, can be observed during spring, summer, and fall. (e.g., Northern Flicker, Cape May Warbler, Winter Wren)

Z—Resident: Present in the area all year long and breeds in the area (e.g., Black-capped Chickadee, Black-backed Woodpecker, Common Raven)

W—Winter: Observed mostly in winter or during fall-winter-spring (e.g., Gyrfalcon, Northern Shrike, Common Redpolls, Bohemian Waxwing)

X—Out of range/Accidental: Distribution range of this species does not include our area; vagrants (e.g., Harlequin Duck, Yellow-headed Blackbird) or species slightly north of their regular range but still occasionally observed (e.g., House Wren, Northern Mockingbird) **When out birdwatching, please remember that the well-being of birds is the highest priority.** Do not share location of sensitive species, nesting birds and resting owls.

Contribute to knowledge on local birds by submitting your observations to ebird.org

| ABUNDANCE | SEASON | SPECIES | √ | √ | √ | √ |
|--------------|-----------|-----------------------------|--|----------|----------|----------|
| Ducks, Geese | and Water | fowl | | | | |
| U | М | Snow Goose | | | | |
| VR | Х | Greater White-fronted Goose | | | | |
| R | М | Brant | | | | |
| R | М | Cackling Goose | | | | |
| Α | В | Canada Goose | | | | |
| VR-OBRC | Х | Mute Swan | | | | |
| U | В | Trumpeter Swan | | | | |
| U | М | Tundra Swan | | | | |
| U | В | Wood Duck | | | | |
| С | В | Blue-winged Teal | | | | |
| С | В | Northern Shoveler | | | | |
| U | М | Gadwall | | | | |
| VR-OBRC | Х | Eurasian Wigeon | | | | |
| С | В | American Wigeon | | | | |
| Α | В | Mallard | | | | |
| U | В | American Black Duck | | | | |
| U | М | Northern Pintail | | | | |
| С | В | Green-winged Teal | | | | |
| R | М | Canvasback | | | | |
| U | М | Redhead | | | | |
| С | В | Ring-necked Duck | | | | |
| U | М | Greater Scaup | | | | |
| С | В | Lesser Scaup | | | | |
| VR-OBRC | Х | Harlequin Duck | | | | |
| R | M | Surf Scoter | | | | |
| U | М | White-winged Scoter | | | | |
| R | M | Black Scoter | | | | |
| U | M | Long-tailed Duck | | | | |
| С | В | Bufflehead | | | | |
| Α | В | Common Goldeneye | | | | |
| С | В | Hooded Merganser | | | | |
| С | В | Common Merganser | | | | |
| U | M | Red-breasted Merganser | | | | |
| R | X | Ruddy Duck | | | | |
| Grouse | . | | <u>, </u> | Ī | . | |
| С | Z | Ruffed Grouse | | | | |
| U | Z | Spruce Grouse | | | | |
| R | Z | Sharp-tailed Grouse | | | | |
| Grebes | T | | | | | |
| U | В | Pied-billed Grebe | | | | |
| R | M | Horned Grebe | | | | |
| U | В | Red-necked Grebe | | | | |

| ABUNDANCE | SEASON | SPECIES | √ | √ | √ | √ |
|-----------------|--------|--|----------|----------|----------|----------|
| Pigeons and Do | | JI LOILU | • | | | |
| C | Z | Rock Pigeon | | | | |
| С | В | Mourning Dove | | | | |
| Cuckoos | | 1 2 2 | | | | <u> </u> |
| U | Х | Black-billed Cuckoo | | | | |
| Nightjars and A | | Black Bliled Cacked | | | | |
| C | В | Common Nighthawk | | | | |
| R | В | Eastern Whip-poor-will | | | | |
| Swifts | | | | | | <u> </u> |
| VR | Х | Chimney Swift | | | | |
| Hummingbirds | l | | | 1 | 1 | <u> </u> |
| C | В | Ruby-throated Hummingbird | | | | |
| Rails, Galinule | | | | | | |
| U | В | Virginia Rail | | | | |
| U | В | Sora | | | | |
| U | В | American Coot | | | | |
| VR | М | Yellow Rail | | | | |
| Cranes | | | | | | |
| С | В | Sandhill Crane | | | | |
| Stilts and Avoc | ets | | | | | |
| VR-OBRC | Х | Black-necked Stilt | | | | |
| Plovers | | | | | | |
| U | М | Black-bellied Plover | | | | |
| U | М | American Golden Plover | | | | |
| С | В | Killdeer | | | | |
| U | М | Semipalmated Plover | | | | |
| Sandpipers and | | 1 | | | | |
| VR | M | Whimbrel | | | | |
| VR | M | Hudsonian Godwit | | | | |
| VR | M | Marbled Godwit | | | | |
| U | M | Ruddy Turnstone | | | | |
| VR | M | Red Knot | | | | |
| R | M | Stilt Sandpiper | | | | |
| R | M | Sanderling | | | | |
| U | M | Dunlin Reights Conditions | | | | |
| R | M | Baird's Sandpiper | | | | |
| U | M | Least Sandpiper | | | | |
| R | M | White-rumped Sandpiper | | | | |
| U | M | Pectoral Sandpiper | | | | |
| U | M | Semipalmated Sandpiper | | | | |
| VR | M | Short-billed Dowitcher | | | | |
| C | M B | Long-billed Dowitcher American Woodcock | | | | |
| C | В | | | | | |
| C | В | Wilson's Snipe | | | | |
| | | Spotted Sandpiper | | | | |
| U | В | Solitary Sandpiper | | | | |

| ABUNDANCE | SEASON | SPECIES | √ | √ | √ | √ |
|----------------|--------------|--------------------------|----------|----------|----------|----------|
| Sandpipers an | | | * | | | |
| U | M | Lesser Yellowlegs | | | | |
| VR | M | Willet | | | | |
| С | M | Greater Yellowlegs | | | | |
| VR | M | Wilson's Phalarope | | | | |
| VR | M | Red-necked Phalarope | | | | |
| VR-OBRC | M | Red Phalarope | | | | |
| Gulls and Terr | l . | | | | <u> </u> | |
| С | В | Bonaparte's Gull | | | | |
| VR-OBRC | Х | Laughing Gull | | | | |
| VR | Х | Franklin's Gull | | | | |
| С | В | Ring-billed Gull | | | | |
| С | В | American Herring Gull | | | | |
| R | М | Iceland Gull | | | | |
| R | М | Lesser Black-backed Gull | | | | |
| U | М | Glaucous Gull | | | | |
| U | М | Great Black-backed Gull | | | | |
| R | М | Caspian Tern | | | | |
| R | В | Black Tern | | | | |
| U | В | Common Tern | | | | |
| Loons | | • | | | | |
| С | В | Common Loon | | | | |
| Cormorants | | • | | | | |
| С | В | Double-crested Cormorant | | | | |
| Pelicans | | | | | | |
| R | Χ | American White Pelican | | | | |
| VR-OBRC | Х | Brown Pelican | | | | |
| Herons, Egrets | s and Bitter | rns | | | | |
| U | В | American Bittern | | | | |
| С | В | Great Blue Heron | | | | |
| VR-OBC | Х | Great Egret | | | | |
| VR-OBRC | X | Western Cattle Egret | | | | |
| New World V | | | | | Ţ | |
| U | В | Turkey Vulture | | | | |
| VR-OBRC | Х | Black Vulture | | | | |
| Osprey | T _ | | | | | |
| U | В | Osprey | | | | |
| Hawks and Ea | 1 | T | 1 | | T | |
| R | M | Golden Eagle | | | | |
| С | В | Northern Harrier | | | | |
| С | В | Sharp-shinned Hawk | | | | |
| U | Z | American Goshawk | | | | |
| С | Z | Bald Eagle | | | | |
| С | В | Broad-winged Hawk | | | | |
| U | В | Red-tailed Hawk | | | | |
| С | M | Rough-legged Hawk | | | | |

| ABUNDANCE | SEASON | SPECIES | ✓ | √ | ✓ | √ |
|----------------|----------|--------------------------------|----------|----------|---|----------|
| Owls | | 1 2 2 2 | l | | | |
| U | Z | Great Horned Owl | | | | |
| U | М | Snowy Owl | | | | |
| U | Z | Northern Hawk Owl | | | | |
| R | Z | Barred Owl | | | | |
| R | Z | Great Gray Owl | | | | |
| R | M | Long-eared Owl | | | | |
| R | М | Short-eared Owl | | | | |
| U | Z | Boreal Owl | | | | |
| U | Z | Northern Saw-whet Owl | | | | |
| Kingfishers | | | | | | |
| C | В | Belted Kingfisher | | | | |
| Woodpeckers | | | l | | | |
| VR-OBRC | Х | Lewis's Woodpecker | | | | |
| VR | Х | Red-headed Woodpecker | | | | |
| VR | Х | Red-bellied Woodpecker | | | | |
| С | В | Yellow-bellied Sapsucker | | | | |
| U | Z | American Three-toed Woodpecker | | | | |
| U | Z | Black-backed Woodpecker | | | | |
| С | Z | Downy Woodpecker | | | | |
| С | Z | Hairy Woodpecker | | | | |
| С | В | Northern Flicker | | | | |
| С | Z | Pileated Woodpecker | | | | |
| Falcons | <u> </u> | - House House | L | | | |
| С | В | American Kestrel | | | | |
| С | В | Merlin | | | | |
| R | W | Gyrfalcon | | | | |
| U | В | Peregrine Falcon | | | | |
| Tyrant Flycato | | | | | | |
| VR | X | Western Kingbird | | | | |
| U | В | Eastern Kingbird | | | | |
| VR-OBRC | Х | Scissor-tailed Flycatcher | | | | |
| U | В | Olive-sided Flycatcher | | | | |
| R | Х | Eastern Wood-Pewee | | | | |
| U | В | Yellow-bellied Flycatcher | | | | |
| С | В | Alder Flycatcher | | | | |
| С | В | Least Flycatcher | | | | |
| R | Х | Eastern Phoebe | | | | |
| Shrikes | | • | | | | |
| U | W | Northern Shrike | | | | |
| Vireos | | • | | | | |
| С | В | Blue-headed Vireo | | | | |
| С | В | Philadelphia Vireo | | | | |
| VR | X | Warbling Vireo | | | | |
| A | В | Red-eyed Vireo | | | | |
| | 1 | , , | <u> </u> | | | |

| ABUNDANCE | SEASON | SPECIES | ✓ | ✓ | ✓ | ✓ |
|----------------|---------|-------------------------|---|---|---|---|
| Crows and Jay | | 1 | | 1 | | |
| C | Z | Canada Jay | | | | |
| С | Z | Blue Jay | | | | |
| Α | В | American Crow | | | | |
| С | Z | Common Raven | | | | |
| Larks | | | | _ | · | l |
| U | М | Horned Lark | | | | |
| Swallows | L | | | | L | L |
| U | В | Bank Swallow | | | | |
| С | В | Tree Swallow | | | | |
| С | В | Barn Swallow | | | | |
| С | В | Cliff Swallow | | | | |
| Chickadees | | | | | | |
| Α | Z | Black-capped Chickadee | | | | |
| U | Z | Boreal Chickadee | | | | |
| Nuthatches | | | | | | |
| С | Z | Red-breasted Nuthatch | | | | |
| R | Χ | White-breasted Nuthatch | | | | |
| Creepers | | | | | | |
| С | Z | Brown Creeper | | | | |
| Wrens | | | | | | |
| R | Χ | Northern House Wren | | | | |
| С | В | Winter Wren | | | | |
| R | Χ | Marsh Wren | | | | |
| R-OBRC | Х | Carolina Wren | | | | |
| Kinglets | | | | | | |
| С | В | Golden-crowned Kinglet | | | | |
| С | В | Ruby-crowned Kinglet | | | | |
| Old World Flyd | atchers | | | | | |
| VR-OBRC | Χ | Northern Wheatear | | | | |
| Thrushes | | | | | | |
| U | В | Eastern Bluebird | | | | |
| С | В | Veery | | | | |
| R | М | Gray-cheeked Thrush | | 1 | | |
| С | В | Swainson's Thrush | | 1 | | |
| С | В | Hermit Thrush | | 1 | | |
| Α | В | American Robin | | 1 | | |
| VR-OBRC | Х | Varied Thrush | | | | |
| Mockingbirds | | | | 1 | | ı |
| U | Х | Gray Catbird | | 1 | | |
| R | Х | Brown Thrasher | | 1 | | |
| R | Х | Northern Mockingbird | | | | |
| Starlings | | | | | _ | |
| Α | Z | European Starling | | | | |

| ABUNDANCE | SEASON | SPECIES | √ | √ | √ | √ |
|----------------|--|-------------------------|----------|----------|----------|----------|
| Waxwings | JEASON | 3FECIES | | <u> </u> | • | <u> </u> |
| U-I | W | Bohemian Waxwing | | T | | |
| C | B | Cedar Waxwing | | | | |
| | 1 | Cedal Waxwing | | | | |
| Old World Spa | Z | House Charren | | | | |
| U | <u> </u> | House Sparrow | | | | |
| Pipits | 1 1 1 | Amaniana Dinit | | T | | 1 |
| U Finches | M | American Pipit | | | | |
| C - I | Z | Evening Crackage | | T | | 1 |
| C - 1 | - | Evening Grosbeak | | | | |
| | W | Pine Grosbeak | | | | |
| С | В | Purple Finch | | | | |
| C-I | W | Redpoll | | | | |
| U-I | В | Red Crossbill | | | | |
| C-I | В | White-winged Crossbill | | | | |
| C-I | В | Pine Siskin | | | | |
| C | B | American Goldfinch | | | | |
| Longspurs and | | | | T | | 1 |
| U | M | Lapland Longspur | | | | |
| U | W | Snow Bunting | | | | |
| New World Sp | | T | | T | | 1 |
| A | В | Chipping Sparrow | | | | |
| U | В | Clay-colored Sparrow | | | | |
| U | M | Fox sparrow | | | | |
| С | M | American Tree Sparrow | | | | |
| С | В | Dark-eyed Junco | | | | |
| С | M | White-crowned Sparrow | | | | |
| Α | В | White-throated Sparrow | | | | |
| R | В | Vesper Sparrow | | | | |
| R | В | LeConte's Sparrow | | | | |
| Α | В | Savannah Sparrow | | | | |
| Α | В | Song Sparrow | | | | |
| С | В | Lincoln's Sparrow | | | | |
| С | В | Swamp Sparrow | | | | |
| R | Х | Eastern Towhee | | | | |
| Blackbirds and | | | | T | | 1 |
| R | X | Yellow-headed Blackbird | | | | |
| U | В | Bobolink | | | | |
| R | Х | Eastern Meadowlark | | | | |
| VR | Х | Western Meadowlark | | | | |
| VR-OBRC | Х | Bullock Oriole | | | | |
| VR | X | Baltimore Oriole | | | | |
| Α | В | Red-winged Blackbird | | | | |
| U | В | Brown-headed Cowbird | | | | |
| U | В | Rusty Blackbird | | | | |
| R | В | Brewer's Blackbird | | | | |
| С | В | Common Grackle | | | | |

| ABUNDANCE | SEASON | SPECIES | ✓ | √ | √ | √ |
|---------------|---------|------------------------------|---|----------|----------|----------|
| New World Wa | arblers | | | | l . | |
| С | В | Ovenbird | | | | |
| U | В | Northern Waterthrush | | | | |
| С | В | Black-and-white Warbler | | | | |
| С | В | Tennessee Warbler | | | | |
| U | М | Orange-crowned Warbler | | | | |
| С | В | Nashville Warbler | | | | |
| R | В | Connecticut Warbler | | | | |
| С | В | Mourning Warbler | | | | |
| Α | В | Common Yellowthroat | | | | |
| Α | В | American Redstart | | | | |
| С | В | Cape May Warbler | | | | |
| С | В | Northern Parula | | | | |
| С | В | Magnolia Warbler | | | | |
| С | В | Bay-breasted Warbler | | | | |
| С | В | Blackburnian Warbler | | | | |
| С | В | Yellow Warbler | | | | |
| С | В | Chestnut-sided Warbler | | | | |
| U | М | Blackpoll Warbler | | | | |
| U | В | Black-throated Blue Warbler | | | | |
| С | В | Palm Warbler | | | | |
| R | Χ | Pine Warbler | | | | |
| С | В | Yellow-rumped Warbler | | | | |
| U | В | Black-throated Green Warbler | | | | |
| U | В | Canada Warbler | | | | |
| U | В | Wilson's Warbler | | | | |
| Cardinals and | Allies | | | | | |
| VR-OBRC | Χ | Summer Tanager | | | | |
| R | Χ | Scarlet Tanager | | | | |
| VR-OBRC | Χ | Western Tanager | | | | |
| R | Χ | Northern Cardinal | | | | |
| U | В | Rose-breasted Grosbeak | | | | |
| R | Х | Indigo Bunting | | | | |
| VR-OBRC | Х | Painted Bunting | | | | |
| VR-OBRC | Χ | Dickcissel | | | | |

Last update: November 4, 2024